



DISPENSES
SUPPLIES ALWAYS AT HAND



Technical Support




Product Information



Customisable and flexible – the optimum use of space

Maximum flexibility: The DISPENSA pharmacist's cabinet offers ample space for supplies, even in the tightest of spaces, and plenty of scope to arrange things as you prefer. Up to six tiers ensure optimum use of space right to the top. Never waste space again thanks to individual height adjustment. Different widths from 150 to 600 mm and heights from 900 to 2300 mm make the DISPENSA flexible for any planning situation.





Access from two sides creates transparency

And therefore a genuine advantage in terms of use and transparency. Instead of opening lots of drawers to put the shopping away or look for something, the fully laden DISPENSA can be opened very easily with just one movement and everything in it immediately becomes visible from any direction. Found in an instant instead of searching for ages.

Rail system with lots of strength

DISPENSA provides up to 100 kg food storage on a footprint of only 0.15 m². Strong and convenient, it can be perfectly integrated into any kitchen design for maximum use of space.

Features



ClickFixx

ClickFixx reduces installation time and at the same time ensures a high standard of installation. Adjustment is done in no time with a simple screwdriver.



SoftSTOPPplus for damped closing plus self-closing of the storage cabinet.



A gentle push against the front with the hand or even the knee triggers a fully automatic, gentle and harmonious opening process.



Heightadjustment

The individual height adjustment creates the optimum space for every storage item.




It is also available in various shelf shapes and colours, allowing it to be optimally adapted to individual needs and design preferences.

All product benefits at a glance

- » Maximum transparency thanks to access on two sides
- » Up to six levels with individual height adjustment
- » Direct access to your supplies with just a single handle
- » Max. payload per tray is 18 kg
- » Widths from 150 to 600 mm
- » Heights from 900 to 2300 mm

Frame & front accessories



Support frame DISPENSA-x

Height-adjustable

Only supplied plastic-coated!

Colour code:

Silver	0102
Ice white	9966
Anthracite	9846

Standard with



ClickFixx

Damping

Dimensions (mm)

Item no.

Clear inside
height

900-1300

054379 0102

054379 9966

054379 9846

1200-1600

054381 0102

054381 9966

054381 9846

1600-2000

054382 0102

054382 9966

054382 9846

1800-2200

054384 0102

054384 9966

054384 9846

1900-2300

054383 0102

054383 9966

054383 9846



Front bracket DISPENSA-x

Set (= 2 pcs)

Only supplied plastic-coated!

Width	PU	Silver	Ice white	Anthracite
150 mm	1 set	235156 0102	235156 9966	235156 9846
300 mm	1 set	232216 0102	232216 9966	232216 9846
400 mm	1 set	232217 0102	232217 9966	232217 9846
450 mm	1 set	232218 0102	232218 9966	232218 9846
500 mm	1 set	232390 0102	232390 9966	232390 9846
600 mm	1 set	232391 0102	232391 9966	232391 9846



ClickFixx



Front stabilizer

Install in any position

Only supplied plastic-coated!

Colour code:

Silver	0102
Ice white	9966
Anthracite	9846

BxDxH

160 x 28 x 20

004350 0102

004350 9966

004350 9846



Front panel connecting strap

Colour code:

Silver	0102
Ice white	9966
Anthracite	9846

BxDxH

20 x 3 x 110







000214 0102







000214 9966

000214 9846



Trays

		ARENA pure Anthracite Anthracite	ARENA pure Silver Ice white	ARENA pure Silver Grey	ARENA style Anthracite Anthracite	ARENA style Chrome Ice white	ARENA classic Chrome Ice white	ARENA classic Chrome Grey
								
150 mm	1	236618 9846	236621 0102	236624 0102	260176 9846	260179 0005	260182 0005	260185 0005
150 mm	2	236619 9846	236622 0102	236625 0102	260177 9846	260180 0005	260183 0005	260186 0005
150 mm	3	236620 9846	236623 0102	236626 0102	260178 9846	260181 0005	260184 0005	260187 0005
300 mm	1	236463 9846	236478 0102	236493 0102	260118 9846	231432 0005	260146 0005	260161 0005
300 mm	2	236464 9846	236479 0102	236494 0102	260119 9846	260133 0005	260147 0005	260162 0005
300 mm	3	236465 9846	236480 0102	236495 0102	260120 9846	260134 0005	260148 0005	260163 0005
400 mm	1	236466 9846	236481 0102	236496 0102	260121 9846	231433 0005	260149 0005	260164 0005
400 mm	2	236467 9846	236482 0102	236497 0102	260122 9846	260135 0005	260150 0005	260165 0005
400 mm	3	236468 9846	236483 0102	236498 0102	260123 9846	260136 0005	260151 0005	260166 0005
450 mm	1	236469 9846	236484 0102	236499 0102	260124 9846	260137 0005	260152 0005	260167 0005
450 mm	2	236470 9846	236485 0102	236500 0102	260125 9846	260138 0005	260153 0005	260168 0005
450 mm	3	236471 9846	236486 0102	236501 0102	260126 9846	260139 0005	260154 0005	260169 0005
500 mm	1	-	-	-	260127 9846	260140 0005	260155 0005	260170 0005
500 mm	2	-	-	-	260128 9846	260141 0005	260156 0005	260171 0005
500 mm	3	-	-	-	260129 9846	260142 0005	260157 0005	260172 0005
600 mm	1	-	-	-	260130 9846	260143 0005	260158 0005	260173 0005
600 mm	2	-	-	-	260131 9846	260144 0005	260159 0005	260174 0005
600 mm	3	-	-	-	260132 9846	260145 0005	260160 0005	260175 0005


		K-Line Anthracite Anthracite	K-Line Silver Silver	Metal basket Chrome -	Metal basket Silver -	ARENA classic Silver Ice white	ARENA classic Silver Grey
							
150 mm	1	-	-	-	-	260182 0102	260185 0102
150 mm	2	-	-	-	-	260183 0102	260186 0102
150 mm	3	-	-	-	-	260184 0102	260187 0102
300 mm	1	002166 9846	002166 0102	217781 0005	217781 0102	260146 0102	260161 0102
300 mm	2	002163 9846	002163 0102	001966 0005	001966 0102	260147 0102	260162 0102
300 mm	3	002164 9846	002164 0102	235019 0005	235019 0102	260148 0102	260163 0102
400 mm	1	002167 9846	002167 0102	231573 0005	231573 0102	260149 0102	260164 0102
400 mm	2	002168 9846	002168 0102	001967 0005	001967 0102	260150 0102	260165 0102
400 mm	3	002169 9846	002169 0102	235020 0005	235020 0102	260151 0102	260166 0102
450 mm	1	-	-	235021 0005	235021 0102	260152 0102	260167 0102
450 mm	2	-	-	001938 0005	001938 0102	260153 0102	260168 0102
450 mm	3	-	-	235022 0005	235022 0102	260154 0102	260169 0102
500 mm	1	-	-	235023 0005	235023 0102	260155 0102	260170 0102
500 mm	2	-	-	001939 0005	001939 0102	260156 0102	260171 0102
500 mm	3	-	-	235024 0005	235024 0102	260157 0102	260172 0102
600 mm	1	-	-	235025 0005	235025 0102	260158 0102	260173 0102
600 mm	2	-	-	001980 0005	001980 0102	260159 0102	260174 0102
600 mm	3	-	-	235026 0005	265026 0102	260160 0102	260175 0102

Additional hooks

For even more storage space in DISPENSA



- » Uses the full height of the furniture
- » Creates space for an additional shelf
- » Can also be installed retrospectively
- » Recommended if height-adjustable support frame is extended by at least 270 mm




Set additional hooks

80 sets of 2 hooks (= 160 hooks)
for height-adjustable frames

Height
198 mm

Grey	7001
Anthracite	7500
White	9003

004476 7001
004476 7500
004476 9003



DISPENSA YouBoxx-Set 1

consisting of:

2 boxes (1.0 litres), 1 box (2.1 litres),
2 boxes (2.0 litres), 1 knife holder, 2 lids,
2 traverse rails

BxDxH
115 x 150 x 95
115 x 300 x 95
115 x 150 x 195

Colour code:

Silver	0102
Ice white	9966
Anthracite	9846

005273 0102
005273 9966
005273 9846



DISPENSA YouBoxx-Set 3

consisting of:

2 boxes (1.0 litres), 2 boxes (2.1 litres), 2 lids
1 dividers large, 2 traverse rails

BxDxH
115 x 150 x 95
115 x 300 x 95

Colour code:

Silver	0102
Ice white	9966
Anthracite	9846

005275 0102
005275 9966
005275 9846



Spice rack

For up to 12 spice jars

BxDxH
465 x 85 x 33,5

235227 0102
235227 9966
235227 9846


Colour code:

Silver	0102
Ice white	9966
Anthracite	9846

Space:
462 x 79



Rails – For cabinet widths from 150 mm



Item no.

074222 9006

074222 9966

074222 9846

Standard with



Damping



Suitable for SoftSTOPPpro
damped opening (see page 1-35)

DISPENSA Vx partial pull-out fitting

for tall pull-out with central runner

Payload: max. 100 kg

Particularly suitable for narrow cabinets

Only supplied plastic-coated!

Colour code:

Silver grey 9006

Ice white 9966

Anthracite 9846

DISPENSA Vx partial pull-out fitting

Frame height = clear inside height -55 mm


S = system height (bottom runner): 43 mm

B = Clear inside width: ≥ 112 mm

T = Clear inside depth: ≥ 500 mm

L = Pull-out travel: 370 mm

Payload: ≤ 100 kg



004247 7500



DISPENSA Vx SoftSTOPPplus/pro

The damper can be used as a pull-out damper or
closing damper.

Colour code:

Anthracite 7500

Rails – For cabinet widths from 300 mm

DISPENSA VVSx full-extension pull-out

With extra-low runner;
for tall pull-out with central runner
Payload: max. 100 kg

Only supplied plastic-coated!

Colour code:

Silver grey	9006
Ice white	9966
Anthracite	9846

Item no.

084235 9006
084235 9966
084235 9846

Standard with



Damping



DISPENSA VVSx full-extension pull-out

With extra-low runner;
for tall pull-out with central runner
Payload: max. 100 kg

Only supplied plastic-coated!

Colour code:

Silver grey	9006
Ice white	9966
Anthracite	9846



Damping




Damping



DISPENSA VVSx low-profile, full-extension pull-out

Frame height = clear inside height	-55 mm
S = system height (bottom runner):	35 mm
B = Clear inside width:	ab 212 mm
T = Clear inside depth:	≥ 500 mm
L = Pull-out travel:	470 mm
Payload:	≤ 100 kg



DISPENSA VVSx SoftSTOPPpro

Damped opening

Option for DISPENSA VVSx

full-extension fitting with Synchromatic

Colour code:

Black	9005
-------	------


004243 9005



Damping



Opening assistance



Set eTouch+

Electrically assisted: approx. 44 mm opening gap

Suitable for cabinet widths from 275 mm - can be retrofitted!

Set consisting of (drive, wireless switch, add-on-housing for wireless switch, power supply unit, mounting material)

Colour code:

Light Grey 7035
Agate Grey 7038
Anthracite 7500
Black 9005
Ice White 9966

Drive is always grey



EU-DIN plug



Item no.

002444 7035
002444 7038
002444 7500
002444 9005
002444 9966

GB/UK plug



Item no.

002445 7035
002445 7038
002445 7500
002445 9005
002445 9966

US/JP plug



Item no.

002446 7035
002446 7038
002446 7500
002446 9005
002446 9966

AUS plug



Item no.

002447 7035
002447 7038
002447 7500
002447 9005
002447 9966

NEW: Wireless switch is already configured to the drive at factory (radio connection).

Assembly front sensor

Without add-on-housing	Predrilled cuphole / insert (assembly aid for predrilled cuphole included)
With add-on-housing	Screw in place / insert (3 universal screws 3.5 x 12 included)
Power supply	Battery CR 2032 3V (supplied)



Drive unit

Mains connection	Hollow plug 2.5/5.5 mm; 1.5 m cable Black
Supply voltage	24 VDC, ≥ 1.5 A
Rated power	30 Watt
Standby power	0.5 Watt
Dimensions	157 x 55 x 47 mm (LxWxH)
Weight	0.2 kg
Max. pull-out weight	120 kg
Drive unit colour	Grey (7001)
Product requirements	DISPENSA VVSx with SoftSTOPPpro and SoftSTOPPplus
Drive unit position	DISPENSA VVSx: beside the runner on the right
Electrically assisted	Opening gap approx. 44 mm

Power supply unit

Primary secondary	100-240 V; 0,8 A 50/60 Hz 24 Volt
---------------------	-------------------------------------

Opening assistance



eTouch for DISPENZA

Suitable for cabinet widths from 300 mm – can be retrofitted! Set consisting of (Drive unit, front sensor and add-on-housing for front sensor assembly)

Identical to set for CONVOY Premio


With EU-DIN plug
With GB/UK plug
With US/JP plug
With AUS plug

Item no.

084246 7930
084247 7930
084248 7930
084249 7930

Colour code:

Grey 7930




Assembly front sensor

Without add-on-housing	Predrilled cuphole / insert (assembly aid supplied)
With add-on-housing	Screw in place / insert
Power supply	Battery CR 2032 3V (supplied)

Drive unit

Mains connection	Euro 8 as per EN 60320/C8; 1.5 m cable Black
Supply voltage	110-240 V AC, 50/60 Hz, ≥ 2 A
Rated power	60 Watt
Standby power	<4 Watt
Dimensions	333 x 68 x 77 mm (LxWxH)
Weight	1.6 kg
Max. pull-out weight	CONVOY Premio: 120 kg
Drive unit colour	Grey (7930)
Product compatibility	CONVOY Premio with SoftSTOPPpro and SoftSTOPPplus
Assembly materials (supplied)	4 wood screws 4.5 x 75, assembly aid
Drive unit position	DISPENSA: beside the runner on the right
Electrically assisted	Opening





WWW.KESSEBOEHMER.COM

